

APA9238

23.8" 1920 x 1080 FHD industrial LCD monitor with VGA + DVI + HDMI + DP video input, IP66 rated flat front bezel, and 9 to 36V DC power input.

- ▶ Aluminum die-casting chassis
- ▶ Features flat front bezel with IP66 design
- ▶ 23.8 inch 1920 x 1080 FHD industrial LCD monitor
- ▶ 1.73" short depth metal rugged construction
- ▶ Option for Projected Capacitive type touch screen
- ▶ VGA, DVI, HDMI, and DP video input
- ▶ Panel or VESA (200 x 100mm) mount ready
- ▶ 9 to 36V DC power input w/ external AC power adapter



Description

Industrial monitor with a 23.8 inch 1920 x 1080 Full HD industrial LCD monitor, VGA + DVI + HDMI + DP video input, and panel or VESA mounting holes. The monitor features an aluminum die-casting chassis and IP66 rated waterproof flat front bezel. Option for Projected Capacitive type touch screen.

Technical Specifications

SPECIFICATION	VALUE
Material	Solid aluminum die-casting chassis IP66 compliant flat front panel
LCD Panel	Size: 23.8 inch Max Resolution: 1920 x 1080 Brightness (cd/m ²): 250 Contrast Ratio (typ) : 3000:1 Viewing Angle (H/V): 178° x 178° Colors: 16.7M MTBF (hrs): 30,000
LCD Protection / Touch screen	No touchscreen - AR Glass with anti-reflection coating (std) Option for Projected Capacitive type touch screen monitor with USB port
Video input	1 x VGA 1 x DP 1 x DVI-D (share with HDMI) 1 x HDMI (share with DVI-D)

Specifications subject to change without notice.

Rear panel control	Power on/off switch OSD membrane switch
Mounting Type	Panel mount or VESA (200 x 100mm) mount
Connectors	1 x VGA port 1 x DP port 1 x DVI-D port (share with HDMI) 1 x HDMI port (share with DVI-D) 1 x USB Type B for touchscreen 1 x 3-pin terminal block DC power input 1 x 2W speaker (option)
Power supply	Power Input: 9~36V DC power input Power Consumption: Max. 21W
Weight	20.94 lb / 9.5 kg
Dimension	25.20"(W) x 15.55"(H) x 1.73"(D)
Environmental	Operating Temperature: 0°C to 50°C Storage Temperature: -30°C to 70°C Relative Humidity: 10 to 95% @ 40°C, non-condensing
Certification	CE/FCC, Class A

Request a Quote or Learn More

Contact us at info@acnodes.com or call (909) 597-7588

www.acnodes.com