

FES8097

Fanless embedded PC with Celeron J3455 1.5GHz CPU, dual LAN, 4 x COM ports, 1 x VGA, 1 x DP, and 12V DC power input in an ultra-slim rugged enclosure.

- ▶ Ultra-slim fanless embedded computer
- ▶ Intel Celeron J3455 1.5Hz quad-core CPU
- ▶ 8GB DDR3L SO-DIMM memory
- ▶ Dual LAN, 6 x USB, 4 x COM ports, 1 x VGA, 1 x DP
- ▶ Supports 1 x 2.5" SSD & 1 x full-size mSATA slot
- ▶ VESA (75mm) mounting holes
- ▶ 12V DC power input



Description

Ultra-slim fanless embedded computer powered by Celeron J3455 1.5GHz CPU comes with 8GB DDR3 memory, 1 x 2.5" SATA SSD, 1 x full sized mSATA slot, dual LAN, 6 x USB, 1 x VGA, 1 x DP, and DC power input.

Technical Specifications

SPECIFICATION	VALUE
Construction	Ultra-slim fanless rugged enclosure
System	CPU: Celeron J3455 1.5GHz quad-core Memory: 8GB DDR3L SO-DIMM Storage: 1 x 2.5" SATA III SSD
Expansion Slot	1 x full-size mSATA slot (with SATA & USB signal) 1 x full-size mPCIe slot (with PCIe & USB signal)
Front I/O Port	2 x USB 2.0 2 x RS-232 (COM1 / COM3) 1 x RS-232/422/485 (COM2) 1 x Power LED, 1 x HDD LED 1 x Power Button
Rear I/O Port	4 x USB 3.0 1 x RS-232 (COM4) 1 x VGA, 1 x DP 2 x LAN by Intel I210IT 1 x line-out 1 x 3-pin DC terminal block (lockable)

Specifications subject to change without notice.

Power Supply	12V DC power input Option for external 120/220VAC power adapter
Weight	4.41 lb / 2 kg
Dimension	8.56"(W) x 1.77"(H) x 5.83"(D)
Mounting	VESA (75mm) mounting holes on top
Environmental	Operating Temperature: 0°C to 60°C Storage Temperature: -40°C to 85°C Humidity: 20% ~ 90%
Compliance	CE, FCC

Request a Quote or Learn More

Contact us at info@acnodes.com or call (909) 597-7588

www.acnodes.com