


KDW8190

17" Monitor Keyboard Drawer
1280 x 1024 Industrial LCD
104 key keyboard with touchpad

Installation Guide


1



- Attach the **left and right mounting bracket** to rack 19" mounting rails.
- Adjust the mounting bracket to fit your rack.
- M6 screw x 8 pcs included.

⚠ Caution : Leaving all M6 screw slightly loose, until you complete the installation in step 5


2



- Pull out the left & right inner slide members.

3


- Pick up the LCD tray.
- Insert the LCD tray into the mounting bracket.
- Pull and hold the left & right black arrow buttons on the rails.
- Return the LCD tray to park position.



4

- Fix the rear kit to the mounting bracket by M3.2 screw x 4 pcs included.


⚠ Caution : This step is necessary. Failure to complete this will cause damage.



5

Complete the installation

- Tighten all 8 pcs of M6 screw to complete the installation.






Figure 1.

■ A black arrow release button is located on the outside of each slide. (shown in Figure 1).




Figure 2.

■ Pull and hold the black arrow button on either side of the LCD keyboard drawer to unlock. (shown in Figure 2).




Figure 3.

■ Push the LCD keyboard drawer into the rack. (shown in Figure 3).

 **Caution :** Keep your fingers away from the slide stop